Summary Statistics	
Run Number	97lsiLEE
Run Description	Monolingual English run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	603

Recall Level Precision Averages	
Recall	Precision
0.00	0.2797
0.10	0.1769
0.20	0.1664
0.30	0.1499
0.40	0.1367
0.50	0.1099
0.60	0.0869
0.70	0.0741
0.80	0.0557
0.90	0.0480
1.00	0.0055

Average precision over all relevant docs	
non-interpolated	0.1095

Document Level Averages	
	Precision
At 5 docs	0.1905
At 10 docs	0.1810
At 15 docs	0.1651
At 20 docs	0.1571
At 30 docs	0.1524
At 100 docs	0.1181
At 200 docs	0.0814
At 500 docs	0.0458
At 1000 docs	0.0287

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1292



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	97lsiLEF
Run Description	Cross-language run: English topics, French documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	745

Recall Level Precision Averages	
Recall	Precision
0.00	0.3548
0.10	0.2792
0.20	0.2029
0.30	0.1830
0.40	0.1675
0.50	0.1499
0.60	0.1301
0.70	0.1128
0.80	0.0791
0.90	0.0533
1.00	0.0080

Average precision over all relevant docs	
non-interpolated	0.1464

Document Level Averages	
	Precision
At 5 docs	0.2286
At 10 docs	0.2095
At 15 docs	0.1968
At 20 docs	0.2071
At 30 docs	0.2000
At 100 docs	0.1414
At 200 docs	0.1050
At 500 docs	0.0593
At 1000 docs	0.0355

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1501



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	97lsiLEG
Run Description	Cross-language run: English topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	425

Recall Level Precision Averages	
Recall	Precision
0.00	0.3694
0.10	0.1978
0.20	0.1788
0.30	0.1340
0.40	0.1219
0.50	0.1080
0.60	0.0993
0.70	0.0778
0.80	0.0650
0.90	0.0456
1.00	0.0018

Average precision over all relevant docs	
non-interpolated	0.1144

Document Level Averages	
	Precision
At 5 docs	0.2000
At 10 docs	0.1857
At 15 docs	0.1746
At 20 docs	0.1786
At 30 docs	0.1619
At 100 docs	0.1038
At 200 docs	0.0648
At 500 docs	0.0350
At 1000 docs	0.0202

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1266



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		97lsiLFE
Run Description	Cross-language	run: French topics, English documents [unjudged]
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	657

Recall Level Precision Averages	
Recall	Precision
0.00	0.3065
0.10	0.2242
0.20	0.2034
0.30	0.1569
0.40	0.1324
0.50	0.1086
0.60	0.0943
0.70	0.0789
0.80	0.0671
0.90	0.0469
1.00	0.0136

Average precision over all relevant docs	
non-interpolated	0.1208

Document Level Averages	
	Precision
At 5 docs	0.1810
At 10 docs	0.2048
At 15 docs	0.2159
At 20 docs	0.2071
At 30 docs	0.1921
At 100 docs	0.1214
At 200 docs	0.0826
At 500 docs	0.0493
At 1000 docs	0.0313

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1507



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	97lsiLFF
Run Description	Monolingual French run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	856

Recall Level Precision Averages	
Recall	Precision
0.00	0.5141
0.10	0.3561
0.20	0.2814
0.30	0.2441
0.40	0.2288
0.50	0.2101
0.60	0.1915
0.70	0.1709
0.80	0.1231
0.90	0.0746
1.00	0.0083

Average precision over all relevant docs	
non-interpolated	0.2011

Document Level Averages	
	Precision
At 5 docs	0.3048
At 10 docs	0.2857
At 15 docs	0.2730
At 20 docs	0.2595
At 30 docs	0.2556
At 100 docs	0.2105
At 200 docs	0.1345
At 500 docs	0.0701
At 1000 docs	0.0408

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2363



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	97lsiLFG
Run Description	Cross-language run: French topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	600

Recall Level Precision Averages	
Recall	Precision
0.00	0.3377
0.10	0.2209
0.20	0.1966
0.30	0.1491
0.40	0.1357
0.50	0.1259
0.60	0.1095
0.70	0.0920
0.80	0.0695
0.90	0.0510
1.00	0.0070

Average precision over all relevant docs	
non-interpolated	0.1263

Document Level Averages	
	Precision
At 5 docs	0.2190
At 10 docs	0.2190
At 15 docs	0.2000
At 20 docs	0.1833
At 30 docs	0.1698
At 100 docs	0.1257
At 200 docs	0.0869
At 500 docs	0.0469
At 1000 docs	0.0286

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1447



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	97lsiLGE
Run Description	Cross-language run: German topics, English documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	497

Recall Level Precision Averages	
Recall	Precision
0.00	0.2042
0.10	0.1256
0.20	0.1119
0.30	0.1086
0.40	0.0912
0.50	0.0814
0.60	0.0729
0.70	0.0634
0.80	0.0577
0.90	0.0445
1.00	0.0006

Average precision over all relevant docs	
non-interpolated	0.0822

Document Level Averages	
	Precision
At 5 docs	0.1238
At 10 docs	0.1286
At 15 docs	0.1206
At 20 docs	0.1214
At 30 docs	0.1143
At 100 docs	0.0919
At 200 docs	0.0631
At 500 docs	0.0382
At 1000 docs	0.0237

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0915



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		97lsiLGF
Run Description	Cross-language run: German topics, French documents [unjudged]	
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	699

Recall Level Precision Averages	
Recall	Precision
0.00	0.3994
0.10	0.2527
0.20	0.1706
0.30	0.1379
0.40	0.1264
0.50	0.1075
0.60	0.0935
0.70	0.0748
0.80	0.0441
0.90	0.0292
1.00	0.0060

Average precision over all relevant docs	
non-interpolated	0.1152

Document Level Averages	
	Precision
At 5 docs	0.2286
At 10 docs	0.2143
At 15 docs	0.1937
At 20 docs	0.1881
At 30 docs	0.1762
At 100 docs	0.1248
At 200 docs	0.0940
At 500 docs	0.0549
At 1000 docs	0.0333

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1291



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	97lsiLGG
Run Description	Monolingual German run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	423

Recall Level Precision Averages	
Recall	Precision
0.00	0.2093
0.10	0.1468
0.20	0.1233
0.30	0.1108
0.40	0.0940
0.50	0.0787
0.60	0.0618
0.70	0.0534
0.80	0.0456
0.90	0.0386
1.00	0.0035

Average precision over all relevant docs	
non-interpolated	0.0807

Document Level Averages	
	Precision
At 5 docs	0.1143
At 10 docs	0.1429
At 15 docs	0.1238
At 20 docs	0.1238
At 30 docs	0.1270
At 100 docs	0.1033
At 200 docs	0.0683
At 500 docs	0.0346
At 1000 docs	0.0201

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0935



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	97lsiSEE
Run Description	Monolingual English run [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	504

Recall Level Precision Averages	
Recall	Precision
0.00	0.2170
0.10	0.1426
0.20	0.1319
0.30	0.0976
0.40	0.0864
0.50	0.0733
0.60	0.0634
0.70	0.0565
0.80	0.0543
0.90	0.0377
1.00	0.0112

Average precision over all relevant docs	
non-interpolated	0.0822

Document Level Averages	
	Precision
At 5 docs	0.1333
At 10 docs	0.1476
At 15 docs	0.1397
At 20 docs	0.1333
At 30 docs	0.1111
At 100 docs	0.0752
At 200 docs	0.0552
At 500 docs	0.0357
At 1000 docs	0.0240

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0918



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	97lsiSEF
Run Description	Cross-language run: English topics, French documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	696

Recall Level Precision Averages	
Recall	Precision
0.00	0.2788
0.10	0.2092
0.20	0.1778
0.30	0.1664
0.40	0.1514
0.50	0.1374
0.60	0.1288
0.70	0.1123
0.80	0.0845
0.90	0.0480
1.00	0.0000

Average precision over all relevant docs	
non-interpolated	0.1322

Document Level Averages	
	Precision
At 5 docs	0.1810
At 10 docs	0.1810
At 15 docs	0.1714
At 20 docs	0.1667
At 30 docs	0.1619
At 100 docs	0.1357
At 200 docs	0.1002
At 500 docs	0.0552
At 1000 docs	0.0331

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1402



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	97lsiSEG
Run Description	Cross-language run: English topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	426

Recall Level Precision Averages	
Recall	Precision
0.00	0.2394
0.10	0.1707
0.20	0.1435
0.30	0.1233
0.40	0.1122
0.50	0.1038
0.60	0.0957
0.70	0.0733
0.80	0.0599
0.90	0.0437
1.00	0.0034

Average precision over all relevant docs	
non-interpolated	0.0998

Document Level Averages	
	Precision
At 5 docs	0.1810
At 10 docs	0.1619
At 15 docs	0.1524
At 20 docs	0.1333
At 30 docs	0.1270
At 100 docs	0.0933
At 200 docs	0.0595
At 500 docs	0.0329
At 1000 docs	0.0203

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1163



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		97lsiSFE
Run Description	Cross-language	run: French topics, English documents [unjudged]
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	643

Recall Level Precision Averages	
Recall	Precision
0.00	0.3032
0.10	0.2207
0.20	0.2049
0.30	0.1489
0.40	0.1299
0.50	0.1141
0.60	0.0995
0.70	0.0903
0.80	0.0806
0.90	0.0638
1.00	0.0134

Average precision over all relevant docs	
non-interpolated	0.1247

Document Level Averages	
	Precision
At 5 docs	0.1905
At 10 docs	0.2048
At 15 docs	0.2095
At 20 docs	0.2024
At 30 docs	0.1857
At 100 docs	0.1190
At 200 docs	0.0829
At 500 docs	0.0490
At 1000 docs	0.0306

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1397



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics			
Run Number			97lsiSFF
Run Description	Monolingual [unjudged]	French	run
Number of Topics			21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	935

Recall Level Precision Averages	
Recall	Precision
0.00	0.4626
0.10	0.2954
0.20	0.2670
0.30	0.2471
0.40	0.2242
0.50	0.2114
0.60	0.1967
0.70	0.1789
0.80	0.1470
0.90	0.0788
1.00	0.0071

Average precision over all relevant docs	
non-interpolated	0.1963

Document Level Averages	
	Precision
At 5 docs	0.2952
At 10 docs	0.2524
At 15 docs	0.2413
At 20 docs	0.2381
At 30 docs	0.2317
At 100 docs	0.2005
At 200 docs	0.1360
At 500 docs	0.0765
At 1000 docs	0.0445

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2166



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	97lsiSFG
Run Description	Cross-language run: French topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	617

Recall Level Precision Averages	
Recall	Precision
0.00	0.3015
0.10	0.2194
0.20	0.1853
0.30	0.1464
0.40	0.1351
0.50	0.1298
0.60	0.1077
0.70	0.0935
0.80	0.0763
0.90	0.0502
1.00	0.0065

Average precision over all relevant docs	
non-interpolated	0.1240

Document Level Averages	
	Precision
At 5 docs	0.2000
At 10 docs	0.2095
At 15 docs	0.1841
At 20 docs	0.1667
At 30 docs	0.1492
At 100 docs	0.1229
At 200 docs	0.0876
At 500 docs	0.0467
At 1000 docs	0.0294

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1372



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		97lsiSGE
Run Description	Cross-language run: German topics, English documents [unjudged]	
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	521

Recall Level Precision Averages	
Recall	Precision
0.00	0.2134
0.10	0.1294
0.20	0.1141
0.30	0.1053
0.40	0.0870
0.50	0.0803
0.60	0.0794
0.70	0.0660
0.80	0.0553
0.90	0.0384
1.00	0.0057

Average precision over all relevant docs	
non-interpolated	0.0849

Document Level Averages	
	Precision
At 5 docs	0.1143
At 10 docs	0.1190
At 15 docs	0.1206
At 20 docs	0.1190
At 30 docs	0.1190
At 100 docs	0.0862
At 200 docs	0.0640
At 500 docs	0.0391
At 1000 docs	0.0248

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0955



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	97lsiSGF
Run Description	Cross-language run: German topics, French documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	711

Recall Level Precision Averages	
Recall	Precision
0.00	0.4175
0.10	0.2069
0.20	0.1591
0.30	0.1290
0.40	0.1106
0.50	0.0990
0.60	0.0863
0.70	0.0726
0.80	0.0492
0.90	0.0325
1.00	0.0060

Average precision over all relevant docs	
non-interpolated	0.1093

Document Level Averages	
	Precision
At 5 docs	0.2476
At 10 docs	0.2000
At 15 docs	0.2000
At 20 docs	0.1810
At 30 docs	0.1698
At 100 docs	0.1333
At 200 docs	0.0933
At 500 docs	0.0550
At 1000 docs	0.0339

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1339



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	97lsiSGG
Run Description	Monolingual German run [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	493

Recall Level Precision Averages	
Recall	Precision
0.00	0.3012
0.10	0.2337
0.20	0.1308
0.30	0.1106
0.40	0.0941
0.50	0.0833
0.60	0.0697
0.70	0.0558
0.80	0.0500
0.90	0.0415
1.00	0.0037

Average precision over all relevant docs	
non-interpolated	0.0974

Document Level Averages	
	Precision
At 5 docs	0.1714
At 10 docs	0.1857
At 15 docs	0.1841
At 20 docs	0.1810
At 30 docs	0.1635
At 100 docs	0.1090
At 200 docs	0.0743
At 500 docs	0.0398
At 1000 docs	0.0235

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1172



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — University of California, Berkeley

Summary Statistics	
Run Number	BrklyE2GA
Run Description	Cross-language run: English topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	295

Recall Level Precision Averages	
Recall	Precision
0.00	0.3766
0.10	0.2390
0.20	0.1778
0.30	0.1598
0.40	0.1429
0.50	0.1337
0.60	0.1186
0.70	0.0977
0.80	0.0724
0.90	0.0274
1.00	0.0048

Average precision over all relevant docs	
non-interpolated	0.1305

Document Level Averages	
	Precision
At 5 docs	0.2286
At 10 docs	0.1857
At 15 docs	0.1651
At 20 docs	0.1476
At 30 docs	0.1254
At 100 docs	0.0705
At 200 docs	0.0443
At 500 docs	0.0223
At 1000 docs	0.0140

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1428



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	BrklyE2GM
Run Description	Cross-language run: English topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	422

Recall Level Precision Averages	
Recall	Precision
0.00	0.4647
0.10	0.3350
0.20	0.2871
0.30	0.2462
0.40	0.2237
0.50	0.1726
0.60	0.1356
0.70	0.1058
0.80	0.0812
0.90	0.0649
1.00	0.0059

Average precision over all relevant docs	
non-interpolated	0.1822

Document Level Averages	
	Precision
At 5 docs	0.2952
At 10 docs	0.2381
At 15 docs	0.2127
At 20 docs	0.1976
At 30 docs	0.1730
At 100 docs	0.1000
At 200 docs	0.0645
At 500 docs	0.0343
At 1000 docs	0.0201

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2034



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	BrklyG2GA
Run Description	Monolingual German run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	675

Recall Level Precision Averages	
Recall	Precision
0.00	0.6894
0.10	0.5259
0.20	0.4809
0.30	0.4402
0.40	0.3614
0.50	0.2933
0.60	0.2391
0.70	0.1556
0.80	0.0810
0.90	0.0269
1.00	0.0088

Average precision over all relevant docs	
non-interpolated	0.2845

Document Level Averages	
	Precision
At 5 docs	0.4667
At 10 docs	0.4238
At 15 docs	0.4000
At 20 docs	0.3690
At 30 docs	0.3333
At 100 docs	0.2029
At 200 docs	0.1190
At 500 docs	0.0578
At 1000 docs	0.0321

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.3038



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — CEA/DIST/SMTI

Summary Statistics	
Run Number	CEAef
Run Description	Cross-language run: English topics, French documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	19918
Relevant:	1239
Rel-ret:	577

Recall Level Precision Averages	
Recall	Precision
0.00	0.3289
0.10	0.2866
0.20	0.2282
0.30	0.1700
0.40	0.1231
0.50	0.0852
0.60	0.0400
0.70	0.0230
0.80	0.0117
0.90	0.0000
1.00	0.0000

Average precision over all relevant docs	
non-interpolated	0.1065

Document Level Averages	
	Precision
At 5 docs	0.2286
At 10 docs	0.2190
At 15 docs	0.2190
At 20 docs	0.2095
At 30 docs	0.1873
At 100 docs	0.1271
At 200 docs	0.0895
At 500 docs	0.0492
At 1000 docs	0.0275

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1387



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	CEAff
Run Description	Monolingual French run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	20672
Relevant:	1239
Rel-ret:	612

Recall Level Precision Averages	
Recall	Precision
0.00	0.5687
0.10	0.3936
0.20	0.3106
0.30	0.2882
0.40	0.2046
0.50	0.1719
0.60	0.0850
0.70	0.0349
0.80	0.0033
0.90	0.0000
1.00	0.0000

Average precision over all relevant docs	
non-interpolated	0.1626

Document Level Averages	
	Precision
At 5 docs	0.3810
At 10 docs	0.3524
At 15 docs	0.3365
At 20 docs	0.3000
At 30 docs	0.2635
At 100 docs	0.1519
At 200 docs	0.0974
At 500 docs	0.0492
At 1000 docs	0.0291

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2144



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	CLIPS1
Run Description	Monolingual French run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	989

Recall Level Precision Averages	
Recall	Precision
0.00	0.6932
0.10	0.5949
0.20	0.4887
0.30	0.4072
0.40	0.3481
0.50	0.3109
0.60	0.2741
0.70	0.2331
0.80	0.1930
0.90	0.1307
1.00	0.0350

Average precision over all relevant docs	
non-interpolated	0.3204

Document Level Averages	
	Precision
At 5 docs	0.5238
At 10 docs	0.4714
At 15 docs	0.4159
At 20 docs	0.3857
At 30 docs	0.3524
At 100 docs	0.2229
At 200 docs	0.1505
At 500 docs	0.0783
At 1000 docs	0.0471

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.3439



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics			
Run Number			CLIPS2
Run Description	Monolingual [unjudged]	French	run
Number of Topics			21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	1009

Recall Level Precision Averages	
Recall	Precision
0.00	0.6859
0.10	0.5505
0.20	0.4650
0.30	0.4078
0.40	0.3644
0.50	0.3245
0.60	0.2886
0.70	0.2453
0.80	0.2173
0.90	0.1369
1.00	0.0288

Average precision over all relevant docs	
non-interpolated	0.3171

Document Level Averages	
	Precision
At 5 docs	0.5048
At 10 docs	0.4619
At 15 docs	0.3841
At 20 docs	0.3619
At 30 docs	0.3222
At 100 docs	0.2138
At 200 docs	0.1493
At 500 docs	0.0822
At 1000 docs	0.0480

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.3562



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics			
Run Number			CLIPS3
Run Description	Monolingual [unjudged]	French	run
Number of Topics			21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	983

Recall Level Precision Averages	
Recall	Precision
0.00	0.7113
0.10	0.6016
0.20	0.5028
0.30	0.4381
0.40	0.3823
0.50	0.3427
0.60	0.3061
0.70	0.2418
0.80	0.1943
0.90	0.1332
1.00	0.0401

Average precision over all relevant docs	
non-interpolated	0.3404

Document Level Averages	
	Precision
At 5 docs	0.5714
At 10 docs	0.5429
At 15 docs	0.4698
At 20 docs	0.4214
At 30 docs	0.3540
At 100 docs	0.2162
At 200 docs	0.1507
At 500 docs	0.0781
At 1000 docs	0.0468

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.3625



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	Cor6EEsc
Run Description	Monolingual English run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	1159

Recall Level Precision Averages	
Recall	Precision
0.00	0.7881
0.10	0.6454
0.20	0.5894
0.30	0.5258
0.40	0.4977
0.50	0.4617
0.60	0.3961
0.70	0.3376
0.80	0.2742
0.90	0.1838
1.00	0.0690

Average precision over all relevant docs	
non-interpolated	0.4202

Document Level Averages	
	Precision
At 5 docs	0.5714
At 10 docs	0.5429
At 15 docs	0.5397
At 20 docs	0.5167
At 30 docs	0.4698
At 100 docs	0.3376
At 200 docs	0.2160
At 500 docs	0.1033
At 1000 docs	0.0552

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.4258



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	Cor6EFent
Run Description	Cross-language run: English topics, French documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	541

Recall Level Precision Averages	
Recall	Precision
0.00	0.3919
0.10	0.3194
0.20	0.2586
0.30	0.2405
0.40	0.2201
0.50	0.1858
0.60	0.1677
0.70	0.1381
0.80	0.0867
0.90	0.0366
1.00	0.0111

Average precision over all relevant docs	
non-interpolated	0.1760

Document Level Averages	
	Precision
At 5 docs	0.3048
At 10 docs	0.2952
At 15 docs	0.2667
At 20 docs	0.2357
At 30 docs	0.2079
At 100 docs	0.1286
At 200 docs	0.0893
At 500 docs	0.0453
At 1000 docs	0.0258

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2008



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	Cor6EFexp
Run Description	Cross-language run: English topics, French documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	689

Recall Level Precision Averages	
Recall	Precision
0.00	0.4451
0.10	0.3622
0.20	0.2990
0.30	0.2748
0.40	0.2449
0.50	0.2167
0.60	0.1884
0.70	0.1448
0.80	0.1037
0.90	0.0425
1.00	0.0072

Average precision over all relevant docs	
non-interpolated	0.1982

Document Level Averages	
	Precision
At 5 docs	0.3143
At 10 docs	0.3381
At 15 docs	0.2857
At 20 docs	0.2619
At 30 docs	0.2429
At 100 docs	0.1548
At 200 docs	0.1067
At 500 docs	0.0567
At 1000 docs	0.0328

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2343



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	Cor6ETGsc
Run Description	Cross-language run: English topics, German(Trans) documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	660

Recall Level Precision Averages	
Recall	Precision
0.00	0.6423
0.10	0.4530
0.20	0.3528
0.30	0.2950
0.40	0.2254
0.50	0.1822
0.60	0.1423
0.70	0.1012
0.80	0.0790
0.90	0.0553
1.00	0.0024

Average precision over all relevant docs	
non-interpolated	0.2111

Document Level Averages	
	Precision
At 5 docs	0.3810
At 10 docs	0.3286
At 15 docs	0.3111
At 20 docs	0.2833
At 30 docs	0.2492
At 100 docs	0.1557
At 200 docs	0.1029
At 500 docs	0.0539
At 1000 docs	0.0314

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2608



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	Cor6FFsc
Run Description	Monolingual French run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	1078

Recall Level Precision Averages	
Recall	Precision
0.00	0.7963
0.10	0.6763
0.20	0.5927
0.30	0.4838
0.40	0.4422
0.50	0.3921
0.60	0.3470
0.70	0.2838
0.80	0.2318
0.90	0.1188
1.00	0.0128

Average precision over all relevant docs	
non-interpolated	0.3815

Document Level Averages	
	Precision
At 5 docs	0.6286
At 10 docs	0.5190
At 15 docs	0.5016
At 20 docs	0.4667
At 30 docs	0.4159
At 100 docs	0.2695
At 200 docs	0.1857
At 500 docs	0.0943
At 1000 docs	0.0513

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.4042



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics			
Run Number			DCU97Fv1
Run Description	Monolingual [unjudged]	French	run
Number of Topics			21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	526

Recall Level Precision Averages	
Recall	Precision
0.00	0.3833
0.10	0.2374
0.20	0.1982
0.30	0.1497
0.40	0.1238
0.50	0.1029
0.60	0.0673
0.70	0.0607
0.80	0.0413
0.90	0.0366
1.00	0.0085

Average precision over all relevant docs	
non-interpolated	0.1073

Document Level Averages	
	Precision
At 5 docs	0.1905
At 10 docs	0.2143
At 15 docs	0.1937
At 20 docs	0.1881
At 30 docs	0.1698
At 100 docs	0.1148
At 200 docs	0.0733
At 500 docs	0.0401
At 1000 docs	0.0250

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1320



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	DCU97Fv2
Run Description	Monolingual French run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	549

Recall Level Precision Averages	
Recall	Precision
0.00	0.3580
0.10	0.2471
0.20	0.1940
0.30	0.1657
0.40	0.1322
0.50	0.1067
0.60	0.0702
0.70	0.0600
0.80	0.0388
0.90	0.0377
1.00	0.0087

Average precision over all relevant docs	
non-interpolated	0.1102

Document Level Averages	
	Precision
At 5 docs	0.1905
At 10 docs	0.2095
At 15 docs	0.1905
At 20 docs	0.1857
At 30 docs	0.1730
At 100 docs	0.1190
At 200 docs	0.0769
At 500 docs	0.0433
At 1000 docs	0.0261

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1418



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	ETHdd1
Run Description	Monolingual German run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	865

Recall Level Precision Averages	
Recall	Precision
0.00	0.6505
0.10	0.5476
0.20	0.4665
0.30	0.4380
0.40	0.4103
0.50	0.3752
0.60	0.3184
0.70	0.2644
0.80	0.1977
0.90	0.1429
1.00	0.0650

Average precision over all relevant docs	
non-interpolated	0.3349

Document Level Averages	
	Precision
At 5 docs	0.4476
At 10 docs	0.4429
At 15 docs	0.4222
At 20 docs	0.3905
At 30 docs	0.3651
At 100 docs	0.2610
At 200 docs	0.1533
At 500 docs	0.0747
At 1000 docs	0.0412

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.3592



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		ETHde1
Run Description	Cross-language run: German topics, English documents [unjudged]	
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	689

Recall Level Precision Averages	
Recall	Precision
0.00	0.4011
0.10	0.3129
0.20	0.2416
0.30	0.1653
0.40	0.1364
0.50	0.1184
0.60	0.0665
0.70	0.0460
0.80	0.0378
0.90	0.0100
1.00	0.0083

Average precision over all relevant docs	
non-interpolated	0.1293

Document Level Averages	
	Precision
At 5 docs	0.3048
At 10 docs	0.2476
At 15 docs	0.2190
At 20 docs	0.1857
At 30 docs	0.1603
At 100 docs	0.0986
At 200 docs	0.0738
At 500 docs	0.0484
At 1000 docs	0.0328

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1303



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		ETHde2
Run Description	Cross-language run: German topics, English documents [unjudged]	
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	686

Recall Level Precision Averages	
Recall	Precision
0.00	0.2647
0.10	0.1636
0.20	0.1035
0.30	0.0946
0.40	0.0841
0.50	0.0612
0.60	0.0558
0.70	0.0427
0.80	0.0368
0.90	0.0058
1.00	0.0007

Average precision over all relevant docs	
non-interpolated	0.0714

Document Level Averages	
	Precision
At 5 docs	0.1333
At 10 docs	0.1381
At 15 docs	0.1206
At 20 docs	0.1143
At 30 docs	0.1063
At 100 docs	0.0776
At 200 docs	0.0643
At 500 docs	0.0466
At 1000 docs	0.0327

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0806



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		ETHde3
Run Description	Cross-language run: German topics, English documents [unjudged]	
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	858

Recall Level Precision Averages	
Recall	Precision
0.00	0.5492
0.10	0.4432
0.20	0.4165
0.30	0.3497
0.40	0.2971
0.50	0.2441
0.60	0.1884
0.70	0.1627
0.80	0.1284
0.90	0.0817
1.00	0.0250

Average precision over all relevant docs	
non-interpolated	0.2516

Document Level Averages	
	Precision
At 5 docs	0.3429
At 10 docs	0.3571
At 15 docs	0.3492
At 20 docs	0.3333
At 30 docs	0.3048
At 100 docs	0.1848
At 200 docs	0.1260
At 500 docs	0.0714
At 1000 docs	0.0409

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2407



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		ETHdf1
Run Description	Cross-language run: German topics, French documents [unjudged]	
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	477

Recall Level Precision Averages	
Recall	Precision
0.00	0.2405
0.10	0.1808
0.20	0.1336
0.30	0.1279
0.40	0.1135
0.50	0.0857
0.60	0.0699
0.70	0.0359
0.80	0.0112
0.90	0.0031
1.00	0.0006

Average precision over all relevant docs	
non-interpolated	0.0807

Document Level Averages	
	Precision
At 5 docs	0.1333
At 10 docs	0.1333
At 15 docs	0.1238
At 20 docs	0.1214
At 30 docs	0.1111
At 100 docs	0.0800
At 200 docs	0.0548
At 500 docs	0.0333
At 1000 docs	0.0227

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0996



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	ETHdf2
Run Description	Cross-language run: German topics, French documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	536

Recall Level Precision Averages	
Recall	Precision
0.00	0.2313
0.10	0.1665
0.20	0.1484
0.30	0.1325
0.40	0.1244
0.50	0.1108
0.60	0.0855
0.70	0.0398
0.80	0.0108
0.90	0.0020
1.00	0.0000

Average precision over all relevant docs	
non-interpolated	0.0864

Document Level Averages	
	Precision
At 5 docs	0.1333
At 10 docs	0.1333
At 15 docs	0.1365
At 20 docs	0.1333
At 30 docs	0.1254
At 100 docs	0.0838
At 200 docs	0.0574
At 500 docs	0.0383
At 1000 docs	0.0255

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1153



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	ETHed1
Run Description	Cross-language run: English topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	495

Recall Level Precision Averages	
Recall	Precision
0.00	0.3699
0.10	0.2363
0.20	0.2055
0.30	0.1817
0.40	0.1358
0.50	0.1075
0.60	0.0659
0.70	0.0399
0.80	0.0193
0.90	0.0052
1.00	0.0000

Average precision over all relevant docs	
non-interpolated	0.1104

Document Level Averages	
	Precision
At 5 docs	0.2381
At 10 docs	0.2190
At 15 docs	0.1905
At 20 docs	0.1667
At 30 docs	0.1429
At 100 docs	0.0943
At 200 docs	0.0660
At 500 docs	0.0386
At 1000 docs	0.0236

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1494



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	ETHed2
Run Description	Cross-language run: English topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	448

Recall Level Precision Averages	
Recall	Precision
0.00	0.1825
0.10	0.1270
0.20	0.1101
0.30	0.1027
0.40	0.0960
0.50	0.0920
0.60	0.0533
0.70	0.0480
0.80	0.0423
0.90	0.0307
1.00	0.0110

Average precision over all relevant docs	
non-interpolated	0.0735

Document Level Averages	
	Precision
At 5 docs	0.0857
At 10 docs	0.0952
At 15 docs	0.0857
At 20 docs	0.0833
At 30 docs	0.0778
At 100 docs	0.0614
At 200 docs	0.0443
At 500 docs	0.0288
At 1000 docs	0.0213

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0841



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	ETHed3
Run Description	Cross-language run: English topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	556

Recall Level Precision Averages	
Recall	Precision
0.00	0.2357
0.10	0.1590
0.20	0.1409
0.30	0.1346
0.40	0.1193
0.50	0.1080
0.60	0.0939
0.70	0.0693
0.80	0.0591
0.90	0.0452
1.00	0.0186

Average precision over all relevant docs	
non-interpolated	0.0995

Document Level Averages	
	Precision
At 5 docs	0.1333
At 10 docs	0.1143
At 15 docs	0.1048
At 20 docs	0.1190
At 30 docs	0.1254
At 100 docs	0.0933
At 200 docs	0.0676
At 500 docs	0.0404
At 1000 docs	0.0265

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1094



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	ETHed4
Run Description	Cross-language run: English topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	591

Recall Level Precision Averages	
Recall	Precision
0.00	0.4191
0.10	0.3414
0.20	0.3244
0.30	0.3037
0.40	0.2794
0.50	0.2637
0.60	0.2092
0.70	0.1394
0.80	0.1004
0.90	0.0676
1.00	0.0325

Average precision over all relevant docs	
non-interpolated	0.2135

Document Level Averages	
	Precision
At 5 docs	0.2381
At 10 docs	0.2667
At 15 docs	0.2476
At 20 docs	0.2286
At 30 docs	0.2048
At 100 docs	0.1319
At 200 docs	0.0867
At 500 docs	0.0473
At 1000 docs	0.0281

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2289



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	ETHee1
Run Description	Monolingual English run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	1165

Recall Level Precision Averages	
Recall	Precision
0.00	0.7617
0.10	0.5934
0.20	0.5530
0.30	0.4978
0.40	0.4657
0.50	0.4064
0.60	0.3574
0.70	0.2954
0.80	0.2203
0.90	0.1281
1.00	0.0241

Average precision over all relevant docs	
non-interpolated	0.3793

Document Level Averages	
	Precision
At 5 docs	0.5238
At 10 docs	0.5238
At 15 docs	0.5048
At 20 docs	0.4690
At 30 docs	0.4286
At 100 docs	0.3167
At 200 docs	0.2036
At 500 docs	0.1021
At 1000 docs	0.0555

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.3694



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	ETHfd1
Run Description	Cross-language run: French topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	421

Recall Level Precision Averages	
Recall	Precision
0.00	0.1871
0.10	0.1599
0.20	0.1328
0.30	0.1049
0.40	0.0921
0.50	0.0822
0.60	0.0696
0.70	0.0615
0.80	0.0535
0.90	0.0350
1.00	0.0045

Average precision over all relevant docs	
non-interpolated	0.0840

Document Level Averages	
	Precision
At 5 docs	0.0857
At 10 docs	0.1143
At 15 docs	0.1079
At 20 docs	0.0976
At 30 docs	0.1000
At 100 docs	0.0738
At 200 docs	0.0529
At 500 docs	0.0316
At 1000 docs	0.0200

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0969



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	ETHfd2
Run Description	Cross-language run: French topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	405

Recall Level Precision Averages	
Recall	Precision
0.00	0.1786
0.10	0.1471
0.20	0.1226
0.30	0.1038
0.40	0.0814
0.50	0.0716
0.60	0.0588
0.70	0.0527
0.80	0.0415
0.90	0.0327
1.00	0.0035

Average precision over all relevant docs	
non-interpolated	0.0756

Document Level Averages	
	Precision
At 5 docs	0.0857
At 10 docs	0.0857
At 15 docs	0.0794
At 20 docs	0.0857
At 30 docs	0.0841
At 100 docs	0.0662
At 200 docs	0.0481
At 500 docs	0.0285
At 1000 docs	0.0193

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0906



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	ETHff1
Run Description	Monolingual French run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	1108

Recall Level Precision Averages	
Recall	Precision
0.00	0.7185
0.10	0.5707
0.20	0.4917
0.30	0.4381
0.40	0.3847
0.50	0.3463
0.60	0.3071
0.70	0.2355
0.80	0.1737
0.90	0.1052
1.00	0.0396

Average precision over all relevant docs	
non-interpolated	0.3261

Document Level Averages	
	Precision
At 5 docs	0.4857
At 10 docs	0.4714
At 15 docs	0.4127
At 20 docs	0.3786
At 30 docs	0.3540
At 100 docs	0.2724
At 200 docs	0.1790
At 500 docs	0.0937
At 1000 docs	0.0528

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.3552



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — University of Massachusetts, Amherst

Summary Statistics	
Run Number	INQ4xl1
Run Description	Cross-language run: Spanish topics, English documents [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	757

Recall Level Precision Averages	
Recall	Precision
0.00	0.4822
0.10	0.3769
0.20	0.3433
0.30	0.3168
0.40	0.2919
0.50	0.2724
0.60	0.2508
0.70	0.2326
0.80	0.2110
0.90	0.1633
1.00	0.0592

Average precision over all relevant docs	
non-interpolated	0.2610

Document Level Averages	
	Precision
At 5 docs	0.3048
At 10 docs	0.3333
At 15 docs	0.3143
At 20 docs	0.3048
At 30 docs	0.2778
At 100 docs	0.2010
At 200 docs	0.1310
At 500 docs	0.0664
At 1000 docs	0.0360

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2767



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	INQ4xl2
Run Description	Cross-language run: Spanish topics, English documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	602

Recall Level Precision Averages	
Recall	Precision
0.00	0.4099
0.10	0.2509
0.20	0.2191
0.30	0.2081
0.40	0.1863
0.50	0.1814
0.60	0.1748
0.70	0.1624
0.80	0.1432
0.90	0.1125
1.00	0.0772

Average precision over all relevant docs	
non-interpolated	0.1810

Document Level Averages	
	Precision
At 5 docs	0.2095
At 10 docs	0.2095
At 15 docs	0.2063
At 20 docs	0.1952
At 30 docs	0.1825
At 100 docs	0.1167
At 200 docs	0.0800
At 500 docs	0.0450
At 1000 docs	0.0287

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1945



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	MercureFFl
Run Description	Monolingual French run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	1033

Recall Level Precision Averages	
Recall	Precision
0.00	0.8262
0.10	0.7274
0.20	0.6133
0.30	0.5541
0.40	0.4717
0.50	0.3999
0.60	0.3500
0.70	0.2335
0.80	0.1480
0.90	0.0651
1.00	0.0000

Average precision over all relevant docs	
non-interpolated	0.3778

Document Level Averages	
	Precision
At 5 docs	0.5714
At 10 docs	0.5286
At 15 docs	0.4698
At 20 docs	0.4357
At 30 docs	0.3889
At 100 docs	0.2767
At 200 docs	0.1883
At 500 docs	0.0912
At 1000 docs	0.0492

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.4015



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics			
Run Number			MercureFFs
Run Description	Monolingual [unjudged]	French	run
Number of Topics			21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	1023

Recall Level Precision Averages	
Recall	Precision
0.00	0.8007
0.10	0.7026
0.20	0.6012
0.30	0.5188
0.40	0.4340
0.50	0.3845
0.60	0.3386
0.70	0.2269
0.80	0.1453
0.90	0.0673
1.00	0.0000

Average precision over all relevant docs	
non-interpolated	0.3619

Document Level Averages	
	Precision
At 5 docs	0.6381
At 10 docs	0.5524
At 15 docs	0.4889
At 20 docs	0.4262
At 30 docs	0.3746
At 100 docs	0.2671
At 200 docs	0.1864
At 500 docs	0.0908
At 1000 docs	0.0487

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.3848



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — TwentyOne (TNO/U-Twente/DFKI/Xerox/U-Tuebingen)

Summary Statistics	
Run Number	TNOde1
Run Description	Cross-language run: German topics, English documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	657

Recall Level Precision Averages	
Recall	Precision
0.00	0.3077
0.10	0.2542
0.20	0.2197
0.30	0.1962
0.40	0.1734
0.50	0.1650
0.60	0.1464
0.70	0.1281
0.80	0.1005
0.90	0.0778
1.00	0.0010

Average precision over all relevant docs	
non-interpolated	0.1453

Document Level Averages	
	Precision
At 5 docs	0.1143
At 10 docs	0.1286
At 15 docs	0.1492
At 20 docs	0.1738
At 30 docs	0.1714
At 100 docs	0.1362
At 200 docs	0.0933
At 500 docs	0.0499
At 1000 docs	0.0313

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1925



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — TwentyOne (TNO/U-Twente/DFKI/Xerox/U-Tuebingen)

Summary Statistics	
Run Number	TNOde2
Run Description	Cross-language run: German topics, English documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	473

Recall Level Precision Averages	
Recall	Precision
0.00	0.1514
0.10	0.1001
0.20	0.0888
0.30	0.0827
0.40	0.0701
0.50	0.0683
0.60	0.0619
0.70	0.0494
0.80	0.0333
0.90	0.0149
1.00	0.0000

Average precision over all relevant docs	
non-interpolated	0.0568

Document Level Averages	
	Precision
At 5 docs	0.0381
At 10 docs	0.0571
At 15 docs	0.0603
At 20 docs	0.0619
At 30 docs	0.0524
At 100 docs	0.0438
At 200 docs	0.0462
At 500 docs	0.0318
At 1000 docs	0.0225

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0724



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — TwentyOne (TNO/U-Twente/DFKI/Xerox/U-Tuebingen)

Summary Statistics	
Run Number	TNOde3
Run Description	Cross-language run: German topics, English documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	695

Recall Level Precision Averages	
Recall	Precision
0.00	0.4381
0.10	0.3371
0.20	0.3087
0.30	0.2777
0.40	0.2466
0.50	0.2256
0.60	0.1906
0.70	0.1686
0.80	0.1256
0.90	0.0928
1.00	0.0009

Average precision over all relevant docs	
non-interpolated	0.2090

Document Level Averages	
	Precision
At 5 docs	0.2952
At 10 docs	0.2810
At 15 docs	0.2603
At 20 docs	0.2476
At 30 docs	0.2556
At 100 docs	0.1590
At 200 docs	0.1088
At 500 docs	0.0549
At 1000 docs	0.0331

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2291



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — TwentyOne (TNO/U-Twente/DFKI/Xerox/U-Tuebingen)

Summary Statistics	
Run Number	TNOde4
Run Description	Cross-language run: German topics, English documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	745

Recall Level Precision Averages	
Recall	Precision
0.00	0.3918
0.10	0.3070
0.20	0.2827
0.30	0.2578
0.40	0.2337
0.50	0.2199
0.60	0.2028
0.70	0.1784
0.80	0.1549
0.90	0.1014
1.00	0.0025

Average precision over all relevant docs	
non-interpolated	0.2013

Document Level Averages	
	Precision
At 5 docs	0.2000
At 10 docs	0.2429
At 15 docs	0.2190
At 20 docs	0.2238
At 30 docs	0.2365
At 100 docs	0.1624
At 200 docs	0.1138
At 500 docs	0.0633
At 1000 docs	0.0355

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2291



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — TwentyOne (TNO/U-Twente/DFKI/Xerox/U-Tuebingen)

Summary Statistics	
Run Number	TNOde5
Run Description	Cross-language run: German topics, English documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	651

Recall Level Precision Averages	
Recall	Precision
0.00	0.1652
0.10	0.1630
0.20	0.1518
0.30	0.1471
0.40	0.1284
0.50	0.1210
0.60	0.1089
0.70	0.0975
0.80	0.0769
0.90	0.0588
1.00	0.0009

Average precision over all relevant docs	
non-interpolated	0.0939

Document Level Averages	
	Precision
At 5 docs	0.0190
At 10 docs	0.0286
At 15 docs	0.0254
At 20 docs	0.0381
At 30 docs	0.0683
At 100 docs	0.1243
At 200 docs	0.0888
At 500 docs	0.0487
At 1000 docs	0.0310

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0991



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — TwentyOne (TNO/U-Twente/DFKI/Xerox/U-Tuebingen)

Summary Statistics	
Run Number	TNOde6
Run Description	Cross-language run: German topics, English documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	476

Recall Level Precision Averages	
Recall	Precision
0.00	0.1518
0.10	0.1002
0.20	0.0885
0.30	0.0821
0.40	0.0696
0.50	0.0675
0.60	0.0611
0.70	0.0493
0.80	0.0333
0.90	0.0149
1.00	0.0000

Average precision over all relevant docs	
non-interpolated	0.0567

Document Level Averages	
	Precision
At 5 docs	0.0381
At 10 docs	0.0571
At 15 docs	0.0603
At 20 docs	0.0619
At 30 docs	0.0524
At 100 docs	0.0438
At 200 docs	0.0462
At 500 docs	0.0318
At 1000 docs	0.0227

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0724



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — TwentyOne (TNO/U-Twente/DFKI/Xerox/U-Tuebingen)

Summary Statistics	
Run Number	TNOdeMT1
Run Description	Cross-language run: German topics, English(Trans) documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	532

Recall Level Precision Averages	
Recall	Precision
0.00	0.3203
0.10	0.2213
0.20	0.1977
0.30	0.1692
0.40	0.1485
0.50	0.1295
0.60	0.1096
0.70	0.0694
0.80	0.0599
0.90	0.0377
1.00	0.0122

Average precision over all relevant docs	
non-interpolated	0.1225

Document Level Averages	
	Precision
At 5 docs	0.1810
At 10 docs	0.1476
At 15 docs	0.1492
At 20 docs	0.1571
At 30 docs	0.1619
At 100 docs	0.1019
At 200 docs	0.0771
At 500 docs	0.0410
At 1000 docs	0.0253

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1445



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	TNOee
Run Description	Monolingual English run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	1049

Recall Level Precision Averages	
Recall	Precision
0.00	0.5837
0.10	0.4422
0.20	0.4121
0.30	0.3740
0.40	0.3431
0.50	0.3007
0.60	0.2522
0.70	0.2135
0.80	0.1724
0.90	0.1054
1.00	0.0181

Average precision over all relevant docs	
non-interpolated	0.2752

Document Level Averages	
	Precision
At 5 docs	0.3714
At 10 docs	0.3714
At 15 docs	0.3714
At 20 docs	0.3667
At 30 docs	0.3651
At 100 docs	0.2510
At 200 docs	0.1707
At 500 docs	0.0909
At 1000 docs	0.0500

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2978



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — TwentyOne (TNO/U-Twente/DFKI/Xerox/U-Tuebingen)

Summary Statistics		
Run Number		TNOfe1
Run Description	Cross-language	run: French topics, English documents [unjudged]
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	584

Recall Level Precision Averages	
Recall	Precision
0.00	0.1795
0.10	0.1625
0.20	0.1497
0.30	0.1368
0.40	0.1178
0.50	0.1003
0.60	0.0910
0.70	0.0866
0.80	0.0660
0.90	0.0515
1.00	0.0148

Average precision over all relevant docs	
non-interpolated	0.0913

Document Level Averages	
	Precision
At 5 docs	0.0381
At 10 docs	0.0429
At 15 docs	0.0730
At 20 docs	0.0857
At 30 docs	0.1016
At 100 docs	0.0886
At 200 docs	0.0736
At 500 docs	0.0441
At 1000 docs	0.0278

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1065



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — TwentyOne (TNO/U-Twente/DFKI/Xerox/U-Tuebingen)

Summary Statistics		
Run Number		TNOfe2
Run Description	Cross-language	run: French topics, English documents [unjudged]
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	371

Recall Level Precision Averages	
Recall	Precision
0.00	0.1510
0.10	0.0972
0.20	0.0860
0.30	0.0697
0.40	0.0590
0.50	0.0511
0.60	0.0467
0.70	0.0395
0.80	0.0226
0.90	0.0125
1.00	0.0016

Average precision over all relevant docs	
non-interpolated	0.0477

Document Level Averages	
	Precision
At 5 docs	0.0381
At 10 docs	0.0429
At 15 docs	0.0444
At 20 docs	0.0500
At 30 docs	0.0460
At 100 docs	0.0381
At 200 docs	0.0338
At 500 docs	0.0230
At 1000 docs	0.0177

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0591



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — TwentyOne (TNO/U-Twente/DFKI/Xerox/U-Tuebingen)

Summary Statistics		
Run Number		TNOfe3
Run Description	Cross-language French topics, English documents [unjudged]	run:
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	626

Recall Level Precision Averages	
Recall	Precision
0.00	0.2978
0.10	0.2478
0.20	0.2273
0.30	0.1959
0.40	0.1590
0.50	0.1376
0.60	0.1214
0.70	0.1095
0.80	0.0929
0.90	0.0634
1.00	0.0154

Average precision over all relevant docs	
non-interpolated	0.1403

Document Level Averages	
	Precision
At 5 docs	0.1619
At 10 docs	0.1857
At 15 docs	0.1714
At 20 docs	0.1690
At 30 docs	0.1794
At 100 docs	0.1281
At 200 docs	0.0933
At 500 docs	0.0505
At 1000 docs	0.0298

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1871



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — TwentyOne (TNO/U-Twente/DFKI/Xerox/U-Tuebingen)

Summary Statistics		
Run Number		TNOfe4
Run Description	Cross-language French topics, English documents [unjudged]	run:
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	659

Recall Level Precision Averages	
Recall	Precision
0.00	0.2659
0.10	0.2309
0.20	0.2043
0.30	0.1814
0.40	0.1500
0.50	0.1374
0.60	0.1247
0.70	0.1074
0.80	0.0950
0.90	0.0680
1.00	0.0147

Average precision over all relevant docs	
non-interpolated	0.1305

Document Level Averages	
	Precision
At 5 docs	0.1048
At 10 docs	0.1381
At 15 docs	0.1524
At 20 docs	0.1524
At 30 docs	0.1603
At 100 docs	0.1105
At 200 docs	0.0867
At 500 docs	0.0517
At 1000 docs	0.0314

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1602



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — TwentyOne (TNO/U-Twente/DFKI/Xerox/U-Tuebingen)

Summary Statistics		
Run Number		TNOfe5
Run Description	Cross-language	run: French topics, English documents [unjudged]
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	583

Recall Level Precision Averages	
Recall	Precision
0.00	0.1795
0.10	0.1625
0.20	0.1496
0.30	0.1368
0.40	0.1175
0.50	0.1003
0.60	0.0910
0.70	0.0866
0.80	0.0660
0.90	0.0515
1.00	0.0148

Average precision over all relevant docs	
non-interpolated	0.0913

Document Level Averages	
	Precision
At 5 docs	0.0381
At 10 docs	0.0429
At 15 docs	0.0730
At 20 docs	0.0857
At 30 docs	0.1016
At 100 docs	0.0886
At 200 docs	0.0736
At 500 docs	0.0442
At 1000 docs	0.0278

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1065



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — TwentyOne (TNO/U-Twente/DFKI/Xerox/U-Tuebingen)

Summary Statistics		
Run Number		TNOfe6
Run Description	Cross-language	run: French topics, English documents [unjudged]
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	370

Recall Level Precision Averages	
Recall	Precision
0.00	0.1471
0.10	0.0965
0.20	0.0857
0.30	0.0696
0.40	0.0588
0.50	0.0510
0.60	0.0467
0.70	0.0394
0.80	0.0220
0.90	0.0125
1.00	0.0016

Average precision over all relevant docs	
non-interpolated	0.0472

Document Level Averages	
	Precision
At 5 docs	0.0381
At 10 docs	0.0381
At 15 docs	0.0413
At 20 docs	0.0476
At 30 docs	0.0444
At 100 docs	0.0381
At 200 docs	0.0338
At 500 docs	0.0229
At 1000 docs	0.0176

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0554



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		TNOnle1
Run Description	Cross-language run: Dutch topics, English documents [unjudged]	
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	626

Recall Level Precision Averages	
Recall	Precision
0.00	0.1484
0.10	0.1423
0.20	0.1278
0.30	0.1239
0.40	0.1144
0.50	0.1068
0.60	0.0964
0.70	0.0917
0.80	0.0778
0.90	0.0615
1.00	0.0159

Average precision over all relevant docs	
non-interpolated	0.0841

Document Level Averages	
	Precision
At 5 docs	0.0286
At 10 docs	0.0238
At 15 docs	0.0286
At 20 docs	0.0286
At 30 docs	0.0429
At 100 docs	0.0990
At 200 docs	0.0800
At 500 docs	0.0484
At 1000 docs	0.0298

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0725



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		TNOnle2
Run Description	Cross-language run: Dutch topics, English documents [unjudged]	
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	533

Recall Level Precision Averages	
Recall	Precision
0.00	0.1645
0.10	0.1249
0.20	0.1060
0.30	0.0932
0.40	0.0916
0.50	0.0885
0.60	0.0824
0.70	0.0749
0.80	0.0552
0.90	0.0388
1.00	0.0070

Average precision over all relevant docs	
non-interpolated	0.0733

Document Level Averages	
	Precision
At 5 docs	0.0571
At 10 docs	0.0524
At 15 docs	0.0667
At 20 docs	0.0690
At 30 docs	0.0825
At 100 docs	0.0771
At 200 docs	0.0569
At 500 docs	0.0360
At 1000 docs	0.0254

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0855



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	TNOnle3
Run Description	Cross-language run: Dutch topics, English documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	738

Recall Level Precision Averages	
Recall	Precision
0.00	0.4659
0.10	0.3023
0.20	0.2749
0.30	0.2486
0.40	0.2179
0.50	0.2098
0.60	0.1841
0.70	0.1375
0.80	0.1219
0.90	0.0871
1.00	0.0145

Average precision over all relevant docs	
non-interpolated	0.1930

Document Level Averages	
	Precision
At 5 docs	0.2762
At 10 docs	0.2476
At 15 docs	0.2254
At 20 docs	0.2238
At 30 docs	0.2175
At 100 docs	0.1495
At 200 docs	0.1033
At 500 docs	0.0618
At 1000 docs	0.0351

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2033



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		TNOnle4
Run Description	Cross-language run: Dutch topics, English documents [unjudged]	
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	823

Recall Level Precision Averages	
Recall	Precision
0.00	0.3766
0.10	0.2826
0.20	0.2396
0.30	0.2219
0.40	0.2063
0.50	0.1934
0.60	0.1708
0.70	0.1516
0.80	0.1329
0.90	0.0913
1.00	0.0164

Average precision over all relevant docs	
non-interpolated	0.1729

Document Level Averages	
	Precision
At 5 docs	0.1905
At 10 docs	0.2048
At 15 docs	0.2127
At 20 docs	0.2024
At 30 docs	0.1921
At 100 docs	0.1510
At 200 docs	0.1181
At 500 docs	0.0665
At 1000 docs	0.0392

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2052



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		TNOnle5
Run Description	Cross-language run: Dutch topics, English documents [unjudged]	
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	644

Recall Level Precision Averages	
Recall	Precision
0.00	0.1483
0.10	0.1427
0.20	0.1288
0.30	0.1252
0.40	0.1156
0.50	0.1079
0.60	0.0961
0.70	0.0915
0.80	0.0777
0.90	0.0615
1.00	0.0159

Average precision over all relevant docs	
non-interpolated	0.0844

Document Level Averages	
	Precision
At 5 docs	0.0286
At 10 docs	0.0238
At 15 docs	0.0286
At 20 docs	0.0286
At 30 docs	0.0413
At 100 docs	0.0990
At 200 docs	0.0805
At 500 docs	0.0489
At 1000 docs	0.0307

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0717



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		TNOnle6
Run Description	Cross-language run: Dutch topics, English documents [unjudged]	
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	528

Recall Level Precision Averages	
Recall	Precision
0.00	0.1633
0.10	0.1295
0.20	0.1068
0.30	0.0943
0.40	0.0927
0.50	0.0903
0.60	0.0833
0.70	0.0756
0.80	0.0552
0.90	0.0388
1.00	0.0070

Average precision over all relevant docs	
non-interpolated	0.0737

Document Level Averages	
	Precision
At 5 docs	0.0476
At 10 docs	0.0619
At 15 docs	0.0698
At 20 docs	0.0714
At 30 docs	0.0841
At 100 docs	0.0786
At 200 docs	0.0574
At 500 docs	0.0360
At 1000 docs	0.0251

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0868



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics			
Run Number			XRCECLE2EA
Run Description	Monolingual [unjudged]	English	run
Number of Topics			21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	1081

Recall Level Precision Averages	
Recall	Precision
0.00	0.8165
0.10	0.6775
0.20	0.5820
0.30	0.5235
0.40	0.4717
0.50	0.4268
0.60	0.3889
0.70	0.3373
0.80	0.2663
0.90	0.1488
1.00	0.0128

Average precision over all relevant docs	
non-interpolated	0.4107

Document Level Averages	
	Precision
At 5 docs	0.6381
At 10 docs	0.5857
At 15 docs	0.5460
At 20 docs	0.5190
At 30 docs	0.4635
At 100 docs	0.2967
At 200 docs	0.1895
At 500 docs	0.0950
At 1000 docs	0.0515

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.4196



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	XRCECLE2EM
Run Description	Monolingual English run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	1006

Recall Level Precision Averages	
Recall	Precision
0.00	0.8967
0.10	0.7486
0.20	0.6377
0.30	0.5491
0.40	0.4914
0.50	0.4144
0.60	0.3742
0.70	0.3294
0.80	0.2862
0.90	0.2046
1.00	0.0255

Average precision over all relevant docs	
non-interpolated	0.4375

Document Level Averages	
	Precision
At 5 docs	0.6667
At 10 docs	0.5952
At 15 docs	0.5778
At 20 docs	0.5405
At 30 docs	0.4905
At 100 docs	0.3390
At 200 docs	0.2010
At 500 docs	0.0914
At 1000 docs	0.0479

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.4349



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Cross-language track results — Xerox Research Centre Europe

Summary Statistics	
Run Number	XRCECLE2FA
Run Description	Cross-language run: English topics, French documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	680

Recall Level Precision Averages	
Recall	Precision
0.00	0.5339
0.10	0.3934
0.20	0.2974
0.30	0.2143
0.40	0.1845
0.50	0.1392
0.60	0.1155
0.70	0.0711
0.80	0.0541
0.90	0.0150
1.00	0.0050

Average precision over all relevant docs	
non-interpolated	0.1625

Document Level Averages	
	Precision
At 5 docs	0.2762
At 10 docs	0.2714
At 15 docs	0.2667
At 20 docs	0.2452
At 30 docs	0.2206
At 100 docs	0.1371
At 200 docs	0.0955
At 500 docs	0.0532
At 1000 docs	0.0324

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1875



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	XRCECLE2FM
Run Description	Cross-language run: English topics, French documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	637

Recall Level Precision Averages	
Recall	Precision
0.00	0.4441
0.10	0.3500
0.20	0.2952
0.30	0.2625
0.40	0.2411
0.50	0.1824
0.60	0.1725
0.70	0.1442
0.80	0.1276
0.90	0.1019
1.00	0.0243

Average precision over all relevant docs	
non-interpolated	0.1946

Document Level Averages	
	Precision
At 5 docs	0.2952
At 10 docs	0.2952
At 15 docs	0.2730
At 20 docs	0.2500
At 30 docs	0.2206
At 100 docs	0.1495
At 200 docs	0.1002
At 500 docs	0.0537
At 1000 docs	0.0303

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2196



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		XRCECLF2EA
Run Description	Cross-language French topics, English documents [unjudged]	run:
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	600

Recall Level Precision Averages	
Recall	Precision
0.00	0.4969
0.10	0.3382
0.20	0.2951
0.30	0.2602
0.40	0.2267
0.50	0.1941
0.60	0.1443
0.70	0.1253
0.80	0.1125
0.90	0.0467
1.00	0.0108

Average precision over all relevant docs	
non-interpolated	0.1846

Document Level Averages	
	Precision
At 5 docs	0.3048
At 10 docs	0.2952
At 15 docs	0.2794
At 20 docs	0.2619
At 30 docs	0.2254
At 100 docs	0.1314
At 200 docs	0.0876
At 500 docs	0.0472
At 1000 docs	0.0286

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2142



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		XRCECLF2EM
Run Description	Cross-language run: French topics, English documents [unjudged]	
Number of Topics		21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	660

Recall Level Precision Averages	
Recall	Precision
0.00	0.5037
0.10	0.4063
0.20	0.3501
0.30	0.2955
0.40	0.2659
0.50	0.2305
0.60	0.2115
0.70	0.1791
0.80	0.0883
0.90	0.0438
1.00	0.0078

Average precision over all relevant docs	
non-interpolated	0.2183

Document Level Averages	
	Precision
At 5 docs	0.3429
At 10 docs	0.3476
At 15 docs	0.3270
At 20 docs	0.3119
At 30 docs	0.2937
At 100 docs	0.1829
At 200 docs	0.1195
At 500 docs	0.0582
At 1000 docs	0.0314

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2511



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics			
Run Number			XRCECLF2FA
Run Description	Monolingual [unjudged]	French	run
Number of Topics			21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	1065

Recall Level Precision Averages	
Recall	Precision
0.00	0.7898
0.10	0.6444
0.20	0.5865
0.30	0.5184
0.40	0.4722
0.50	0.4061
0.60	0.3434
0.70	0.2951
0.80	0.2510
0.90	0.1722
1.00	0.0465

Average precision over all relevant docs	
non-interpolated	0.3935

Document Level Averages	
	Precision
At 5 docs	0.6286
At 10 docs	0.5429
At 15 docs	0.5111
At 20 docs	0.4786
At 30 docs	0.4222
At 100 docs	0.2624
At 200 docs	0.1819
At 500 docs	0.0910
At 1000 docs	0.0507

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.4049



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	XRCECLF2FM
Run Description	Monolingual French run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	960

Recall Level Precision Averages	
Recall	Precision
0.00	0.8079
0.10	0.7153
0.20	0.6790
0.30	0.5421
0.40	0.4591
0.50	0.4128
0.60	0.3595
0.70	0.2824
0.80	0.1982
0.90	0.1311
1.00	0.0340

Average precision over all relevant docs	
non-interpolated	0.4073

Document Level Averages	
	Precision
At 5 docs	0.6286
At 10 docs	0.5714
At 15 docs	0.5333
At 20 docs	0.5167
At 30 docs	0.4683
At 100 docs	0.3110
At 200 docs	0.1898
At 500 docs	0.0870
At 1000 docs	0.0457

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.4412



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	clcrl1
Run Description	Monolingual French run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	758

Recall Level Precision Averages	
Recall	Precision
0.00	0.5327
0.10	0.4208
0.20	0.3389
0.30	0.2078
0.40	0.1347
0.50	0.1052
0.60	0.0691
0.70	0.0443
0.80	0.0196
0.90	0.0104
1.00	0.0057

Average precision over all relevant docs	
non-interpolated	0.1484

Document Level Averages	
	Precision
At 5 docs	0.3333
At 10 docs	0.2762
At 15 docs	0.2571
At 20 docs	0.2452
At 30 docs	0.2222
At 100 docs	0.1510
At 200 docs	0.1045
At 500 docs	0.0585
At 1000 docs	0.0361

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1947



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	clcrl2
Run Description	Cross-language run: English topics, French documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	18738
Relevant:	1239
Rel-ret:	661

Recall Level Precision Averages	
Recall	Precision
0.00	0.4258
0.10	0.3273
0.20	0.2550
0.30	0.1698
0.40	0.1511
0.50	0.1351
0.60	0.1125
0.70	0.0744
0.80	0.0498
0.90	0.0303
1.00	0.0039

Average precision over all relevant docs	
non-interpolated	0.1371

Document Level Averages	
	Precision
At 5 docs	0.2667
At 10 docs	0.2619
At 15 docs	0.2381
At 20 docs	0.2143
At 30 docs	0.2127
At 100 docs	0.1352
At 200 docs	0.0933
At 500 docs	0.0536
At 1000 docs	0.0315

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1543



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	clcrl3
Run Description	Cross-language run: English topics, French documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1239
Rel-ret:	308

Recall Level Precision Averages	
Recall	Precision
0.00	0.1976
0.10	0.0838
0.20	0.0582
0.30	0.0477
0.40	0.0466
0.50	0.0372
0.60	0.0263
0.70	0.0193
0.80	0.0150
0.90	0.0106
1.00	0.0021

Average precision over all relevant docs	
non-interpolated	0.0357

Document Level Averages	
	Precision
At 5 docs	0.1143
At 10 docs	0.1000
At 15 docs	0.0921
At 20 docs	0.0786
At 30 docs	0.0619
At 100 docs	0.0505
At 200 docs	0.0343
At 500 docs	0.0217
At 1000 docs	0.0147

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.0566



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	clcrl4
Run Description	Cross-language run: English topics, French documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	18738
Relevant:	1239
Rel-ret:	669

Recall Level Precision Averages	
Recall	Precision
0.00	0.4710
0.10	0.3725
0.20	0.2566
0.30	0.1714
0.40	0.1527
0.50	0.1368
0.60	0.1142
0.70	0.0759
0.80	0.0513
0.90	0.0314
1.00	0.0045

Average precision over all relevant docs	
non-interpolated	0.1428

Document Level Averages	
	Precision
At 5 docs	0.2762
At 10 docs	0.2667
At 15 docs	0.2413
At 20 docs	0.2167
At 30 docs	0.2143
At 100 docs	0.1352
At 200 docs	0.0943
At 500 docs	0.0543
At 1000 docs	0.0319

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1591



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	umcpxeg1
Run Description	Cross-language run: English topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	20001
Relevant:	992
Rel-ret:	576

Recall Level Precision Averages	
Recall	Precision
0.00	0.4601
0.10	0.3241
0.20	0.2519
0.30	0.2198
0.40	0.1923
0.50	0.1697
0.60	0.1457
0.70	0.1314
0.80	0.1186
0.90	0.0528
1.00	0.0325

Average precision over all relevant docs	
non-interpolated	0.1761

Document Level Averages	
	Precision
At 5 docs	0.2667
At 10 docs	0.2429
At 15 docs	0.2444
At 20 docs	0.2310
At 30 docs	0.1984
At 100 docs	0.1333
At 200 docs	0.0948
At 500 docs	0.0495
At 1000 docs	0.0274

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2066



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	umcpxeg2
Run Description	Cross-language run: English topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	496

Recall Level Precision Averages	
Recall	Precision
0.00	0.4692
0.10	0.3290
0.20	0.2769
0.30	0.2520
0.40	0.2129
0.50	0.1944
0.60	0.1605
0.70	0.0997
0.80	0.0785
0.90	0.0450
1.00	0.0324

Average precision over all relevant docs	
non-interpolated	0.1829

Document Level Averages	
	Precision
At 5 docs	0.3333
At 10 docs	0.3000
At 15 docs	0.2540
At 20 docs	0.2286
At 30 docs	0.1889
At 100 docs	0.1186
At 200 docs	0.0781
At 500 docs	0.0413
At 1000 docs	0.0236

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2073



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	umcpxeg3
Run Description	Cross-language run: English topics, German documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	19002
Relevant:	992
Rel-ret:	477

Recall Level Precision Averages	
Recall	Precision
0.00	0.5431
0.10	0.3798
0.20	0.2869
0.30	0.2567
0.40	0.2351
0.50	0.2157
0.60	0.1704
0.70	0.1289
0.80	0.1094
0.90	0.0513
1.00	0.0319

Average precision over all relevant docs	
non-interpolated	0.2049

Document Level Averages	
	Precision
At 5 docs	0.3333
At 10 docs	0.2905
At 15 docs	0.2476
At 20 docs	0.2357
At 30 docs	0.2000
At 100 docs	0.1171
At 200 docs	0.0781
At 500 docs	0.0407
At 1000 docs	0.0227

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2331



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics		
Run Number		umcpxge1
Run Description	Cross-language run: German topics, English documents [unjudged]	
Number of Topics		21

Total number of documents over all topics	
Retrieved:	19002
Relevant:	1247
Rel-ret:	631

Recall Level Precision Averages	
Recall	Precision
0.00	0.4967
0.10	0.3646
0.20	0.3230
0.30	0.2660
0.40	0.2202
0.50	0.1480
0.60	0.1313
0.70	0.1183
0.80	0.1019
0.90	0.0675
1.00	0.0161

Average precision over all relevant docs	
non-interpolated	0.1928

Document Level Averages	
	Precision
At 5 docs	0.3333
At 10 docs	0.3143
At 15 docs	0.2857
At 20 docs	0.2738
At 30 docs	0.2556
At 100 docs	0.1481
At 200 docs	0.0988
At 500 docs	0.0527
At 1000 docs	0.0300

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2205



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	umcpxge2
Run Description	Cross-language run: German topics, English documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	576

Recall Level Precision Averages	
Recall	Precision
0.00	0.5441
0.10	0.3832
0.20	0.3198
0.30	0.2734
0.40	0.2318
0.50	0.1651
0.60	0.1401
0.70	0.1160
0.80	0.1045
0.90	0.0488
1.00	0.0072

Average precision over all relevant docs	
non-interpolated	0.1975

Document Level Averages	
	Precision
At 5 docs	0.3429
At 10 docs	0.3048
At 15 docs	0.2698
At 20 docs	0.2524
At 30 docs	0.2222
At 100 docs	0.1295
At 200 docs	0.0814
At 500 docs	0.0444
At 1000 docs	0.0274

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2140



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	umcpxge3
Run Description	Cross-language run: German topics, English documents [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	1247
Rel-ret:	704

Recall Level Precision Averages	
Recall	Precision
0.00	0.6704
0.10	0.4905
0.20	0.3798
0.30	0.3040
0.40	0.2651
0.50	0.2098
0.60	0.1908
0.70	0.1696
0.80	0.1200
0.90	0.0707
1.00	0.0126

Average precision over all relevant docs	
non-interpolated	0.2455

Document Level Averages	
	Precision
At 5 docs	0.4286
At 10 docs	0.3762
At 15 docs	0.3429
At 20 docs	0.3167
At 30 docs	0.2698
At 100 docs	0.1529
At 200 docs	0.0998
At 500 docs	0.0555
At 1000 docs	0.0335

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2733



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	umcpxgg1
Run Description	Monolingual German run [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	554

Recall Level Precision Averages	
Recall	Precision
0.00	0.7746
0.10	0.4945
0.20	0.4190
0.30	0.3181
0.40	0.2516
0.50	0.2243
0.60	0.1870
0.70	0.1206
0.80	0.0917
0.90	0.0500
1.00	0.0365

Average precision over all relevant docs	
non-interpolated	0.2471

Document Level Averages	
	Precision
At 5 docs	0.4762
At 10 docs	0.3952
At 15 docs	0.3619
At 20 docs	0.3286
At 30 docs	0.2635
At 100 docs	0.1424
At 200 docs	0.0969
At 500 docs	0.0469
At 1000 docs	0.0264

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2716



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	umcpxgg2
Run Description	Monolingual German run [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	402

Recall Level Precision Averages	
Recall	Precision
0.00	0.6170
0.10	0.2226
0.20	0.1233
0.30	0.0828
0.40	0.0458
0.50	0.0300
0.60	0.0161
0.70	0.0108
0.80	0.0029
0.90	0.0012
1.00	0.0000

Average precision over all relevant docs	
non-interpolated	0.0806

Document Level Averages	
	Precision
At 5 docs	0.2857
At 10 docs	0.2000
At 15 docs	0.1651
At 20 docs	0.1476
At 30 docs	0.1190
At 100 docs	0.0724
At 200 docs	0.0495
At 500 docs	0.0299
At 1000 docs	0.0191

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1199



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	umcpxgg3
Run Description	Monolingual German run [judged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	520

Recall Level Precision Averages	
Recall	Precision
0.00	0.6445
0.10	0.3809
0.20	0.2698
0.30	0.2199
0.40	0.1263
0.50	0.1094
0.60	0.0795
0.70	0.0635
0.80	0.0380
0.90	0.0244
1.00	0.0117

Average precision over all relevant docs	
non-interpolated	0.1519

Document Level Averages	
	Precision
At 5 docs	0.3619
At 10 docs	0.2667
At 15 docs	0.2190
At 20 docs	0.1952
At 30 docs	0.1746
At 100 docs	0.1095
At 200 docs	0.0724
At 500 docs	0.0403
At 1000 docs	0.0248

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2012



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	umcpxgg4
Run Description	Monolingual German run [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	561

Recall Level Precision Averages	
Recall	Precision
0.00	0.7717
0.10	0.4979
0.20	0.4172
0.30	0.3192
0.40	0.2531
0.50	0.2247
0.60	0.1881
0.70	0.1206
0.80	0.0917
0.90	0.0500
1.00	0.0365

Average precision over all relevant docs	
non-interpolated	0.2480

Document Level Averages	
	Precision
At 5 docs	0.4762
At 10 docs	0.4095
At 15 docs	0.3683
At 20 docs	0.3286
At 30 docs	0.2667
At 100 docs	0.1429
At 200 docs	0.0974
At 500 docs	0.0473
At 1000 docs	0.0267

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2724



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	umcpxgg5
Run Description	Monolingual German run [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	470

Recall Level Precision Averages	
Recall	Precision
0.00	0.6666
0.10	0.3325
0.20	0.2371
0.30	0.1515
0.40	0.0794
0.50	0.0540
0.60	0.0379
0.70	0.0239
0.80	0.0137
0.90	0.0047
1.00	0.0029

Average precision over all relevant docs	
non-interpolated	0.1219

Document Level Averages	
	Precision
At 5 docs	0.3905
At 10 docs	0.2810
At 15 docs	0.2222
At 20 docs	0.2024
At 30 docs	0.1730
At 100 docs	0.0910
At 200 docs	0.0633
At 500 docs	0.0365
At 1000 docs	0.0224

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.1642



Recall-Precision Curve



Difference from Median in Average Precision per Topic

Summary Statistics	
Run Number	umcpxgg6
Run Description	Monolingual German run [unjudged]
Number of Topics	21

Total number of documents over all topics	
Retrieved:	21000
Relevant:	992
Rel-ret:	614

Recall Level Precision Averages	
Recall	Precision
0.00	0.7557
0.10	0.5512
0.20	0.4780
0.30	0.3505
0.40	0.2369
0.50	0.1884
0.60	0.1417
0.70	0.1102
0.80	0.0536
0.90	0.0286
1.00	0.0163

Average precision over all relevant docs	
non-interpolated	0.2396

Document Level Averages	
	Precision
At 5 docs	0.5238
At 10 docs	0.4000
At 15 docs	0.3365
At 20 docs	0.3095
At 30 docs	0.2698
At 100 docs	0.1505
At 200 docs	0.0962
At 500 docs	0.0511
At 1000 docs	0.0292

R-Precision (precision after R docs retrieved (where R is the number of relevant documents))	
Exact	0.2817



Recall-Precision Curve



Difference from Median in Average Precision per Topic