

# fdw - Fudan University-WIM Lab - trec07p (active) Corpus

Gold Std.	fdw1p1000		fdw2p1000		fdw3p1000		fdw4p1000	
	ham	spam	ham	spam	ham	spam	ham	spam
Filter	24988	393	24973	341	24777	101	23251	95
Classification	ham spam	232 49806	ham spam	247 49858	ham spam	443 50098	ham spam	1969 50104
Ham Misc%	0.92 (0.81-1.05)		0.98 (0.86-1.11)		1.76 (1.60-1.93)		7.81 (7.48-8.15)	
Spam Misc%	0.78 (0.71-0.86)		0.68 (0.61-0.76)		0.20 (0.16-0.24)		0.19 (0.15-0.23)	
Logit av Misc%	0.85 (0.79 - 0.92)		0.82 (0.75 - 0.89)		0.60 (0.53 - 0.67)		1.25 (1.12 - 1.40)	
(1-ROCA)%	0.0641 (0.0518 - 0.0793)		0.0881 (0.0753 - 0.1031)		0.1629 (0.1386 - 0.1914)		0.2029 (0.1820 - 0.2262)	
Ham Misc%	Spam Misc%							
0.01	44.41 (11.62 - 82.92)		47.56 (21.18 - 75.38)		58.36 (53.18 - 63.36)		48.88 (16.56 - 82.17)	
0.02	28.53 (16.40 - 44.82)		27.14 (15.18 - 43.67)		56.54 (51.57 - 61.38)		40.50 (24.47 - 58.85)	
0.05	20.28 (14.12 - 28.24)		16.43 (11.60 - 22.77)		48.87 (39.66 - 58.16)		30.19 (23.98 - 37.21)	
0.10	13.05 (9.20 - 18.18)		13.40 (11.69 - 15.31)		33.31 (25.02 - 42.79)		21.63 (17.06 - 27.02)	
0.20	8.23 (6.11 - 11.00)		10.40 (9.32 - 11.60)		24.19 (18.94 - 30.35)		13.38 (11.67 - 15.29)	
0.50	2.23 (1.48 - 3.33)		6.82 (6.43 - 7.23)		9.84 (8.30 - 11.63)		9.87 (9.23 - 10.54)	
1.00	0.69 (0.57 - 0.84)		0.64 (0.42 - 0.98)		3.10 (2.36 - 4.07)		7.85 (7.49 - 8.22)	
2.00	0.19 (0.15 - 0.26)		0.12 (0.09 - 0.16)		0.16 (0.13 - 0.21)		1.53 (1.39 - 1.68)	
5.00	0.02 (0.01 - 0.04)		0.05 (0.03 - 0.08)		0.05 (0.03 - 0.08)		0.37 (0.31 - 0.45)	
10.00	0.01 (0.00 - 0.02)		0.01 (0.00 - 0.03)		0.02 (0.01 - 0.04)		0.12 (0.09 - 0.16)	
20.00	0.00 (0.00 - 0.01)		0.00 (0.00 - 0.01)		0.00 (0.00 - 0.02)		0.02 (0.01 - 0.05)	
50.00	0.00 (0.00 - 0.00)		0.00 (0.00 - 0.00)		0.00 (0.00 - 0.01)		0.00 (0.00 - 0.00)	
Spam Misc%	Ham Misc%							
0.01	7.07 (4.48 - 10.96)		8.45 (4.67 - 14.84)		11.30 (7.73 - 16.24)		21.89 (20.12 - 23.77)	
0.02	5.03 (3.63 - 6.92)		8.09 (6.37 - 10.23)		9.00 (6.01 - 13.27)		20.40 (18.78 - 22.12)	
0.05	3.89 (3.40 - 4.45)		4.44 (3.09 - 6.35)		4.93 (3.24 - 7.45)		16.19 (13.29 - 19.59)	
0.10	2.95 (2.59 - 3.35)		2.50 (1.57 - 3.95)		2.54 (2.11 - 3.06)		11.02 (9.65 - 12.56)	
0.20	1.93 (1.70 - 2.20)		1.36 (1.16 - 1.59)		1.76 (1.53 - 2.02)		7.74 (7.01 - 8.54)	
0.50	1.16 (1.04 - 1.29)		1.07 (0.95 - 1.21)		1.38 (1.24 - 1.53)		4.36 (3.98 - 4.77)	
1.00	0.81 (0.71 - 0.93)		0.86 (0.76 - 0.98)		1.28 (1.15 - 1.42)		2.95 (2.72 - 3.19)	
2.00	0.53 (0.45 - 0.61)		0.84 (0.74 - 0.96)		1.23 (1.10 - 1.38)		1.38 (1.25 - 1.51)	
5.00	0.31 (0.25 - 0.39)		0.79 (0.69 - 0.90)		0.77 (0.68 - 0.88)		1.24 (1.12 - 1.37)	
10.00	0.15 (0.11 - 0.20)		0.23 (0.17 - 0.30)		0.48 (0.41 - 0.57)		0.48 (0.39 - 0.58)	
20.00	0.05 (0.03 - 0.10)		0.04 (0.02 - 0.09)		0.24 (0.18 - 0.32)		0.11 (0.07 - 0.17)	
50.00	0.00 (0.00 - 0.01)		0.00 (0.00 - 0.01)		0.04 (0.02 - 0.07)		0.01 (0.00 - 0.04)	

