| Summary Statistics | |
|---|---|
| Run Number | xerox-nlp1– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 664 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.4673 |
| 0.10 | 0.4312 |
| 0.20 | 0.3425 |
| 0.30 | 0.2632 |
| 0.40 | 0.2155 |
| 0.50 | 0.1835 |
| 0.60 | 0.1368 |
| 0.70 | 0.1108 |
| 0.80 | 0.0908 |
| 0.90 | 0.0696 |
| 1.00 | 0.0582 |
| Average precision over all relevant docs | |
| non-interpolated | 0.2002 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.2711 |
| At 10 docs | 0.2200 |
| At 15 docs | 0.1911 |
| At 20 docs | 0.1522 |
| At 30 docs | 0.1252 |
| At 100 docs | 0.0676 |
| At 200 docs | 0.0456 |
| At 500 docs | 0.0248 |
| At 1000 docs | 0.0148 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.2060 |






| Summary Statistics | |
|---|---|
| Run Number | xerox-nlp2– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 672 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.4789 |
| 0.10 | 0.4353 |
| 0.20 | 0.3635 |
| 0.30 | 0.2872 |
| 0.40 | 0.2318 |
| 0.50 | 0.2064 |
| 0.60 | 0.1585 |
| 0.70 | 0.1243 |
| 0.80 | 0.1006 |
| 0.90 | 0.0802 |
| 1.00 | 0.0706 |
| Average precision over all relevant docs | |
| non-interpolated | 0.2147 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.2711 |
| At 10 docs | 0.2200 |
| At 15 docs | 0.1807 |
| At 20 docs | 0.1522 |
| At 30 docs | 0.1244 |
| At 100 docs | 0.0662 |
| At 200 docs | 0.0452 |
| At 500 docs | 0.0251 |
| At 1000 docs | 0.0149 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.2172 |






| Summary Statistics | |
|---|---|
| Run Number | xerox-nlp3– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 613 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.3292 |
| 0.10 | 0.2780 |
| 0.20 | 0.2355 |
| 0.30 | 0.1943 |
| 0.40 | 0.1526 |
| 0.50 | 0.1394 |
| 0.60 | 0.1089 |
| 0.70 | 0.0840 |
| 0.80 | 0.0591 |
| 0.90 | 0.0469 |
| 1.00 | 0.0396 |
| Average precision over all relevant docs | |
| non-interpolated | 0.1397 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.1911 |
| At 10 docs | 0.1711 |
| At 15 docs | 0.1348 |
| At 20 docs | 0.1144 |
| At 30 docs | 0.0963 |
| At 100 docs | 0.0556 |
| At 200 docs | 0.0371 |
| At 500 docs | 0.0220 |
| At 1000 docs | 0.0136 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.1535 |






| Summary Statistics | |
|---|---|
| Run Number | xerox-nlp4– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 680 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.4925 |
| 0.10 | 0.4371 |
| 0.20 | 0.3839 |
| 0.30 | 0.2990 |
| 0.40 | 0.2392 |
| 0.50 | 0.2207 |
| 0.60 | 0.1765 |
| 0.70 | 0.1389 |
| 0.80 | 0.1134 |
| 0.90 | 0.0926 |
| 1.00 | 0.0830 |
| Average precision over all relevant docs | |
| non-interpolated | 0.2276 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.2800 |
| At 10 docs | 0.2178 |
| At 15 docs | 0.1867 |
| At 20 docs | 0.1633 |
| At 30 docs | 0.1274 |
| At 100 docs | 0.0671 |
| At 200 docs | 0.0458 |
| At 500 docs | 0.0253 |
| At 1000 docs | 0.0151 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.2460 |






| Summary Statistics | |
|---|---|
| Run Number | xerox-nlp5– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 679 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.4982 |
| 0.10 | 0.4446 |
| 0.20 | 0.3841 |
| 0.30 | 0.2957 |
| 0.40 | 0.2500 |
| 0.50 | 0.2327 |
| 0.60 | 0.1829 |
| 0.70 | 0.1407 |
| 0.80 | 0.1152 |
| 0.90 | 0.0938 |
| 1.00 | 0.0834 |
| Average precision over all relevant docs | |
| non-interpolated | 0.2320 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.2667 |
| At 10 docs | 0.2156 |
| At 15 docs | 0.1896 |
| At 20 docs | 0.1611 |
| At 30 docs | 0.1296 |
| At 100 docs | 0.0678 |
| At 200 docs | 0.0463 |
| At 500 docs | 0.0253 |
| At 1000 docs | 0.0151 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.2488 |






| Summary Statistics | |
|---|---|
| Run Number | xerox-nlp6– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 679 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.4971 |
| 0.10 | 0.4472 |
| 0.20 | 0.3848 |
| 0.30 | 0.2926 |
| 0.40 | 0.2445 |
| 0.50 | 0.2258 |
| 0.60 | 0.1777 |
| 0.70 | 0.1403 |
| 0.80 | 0.1149 |
| 0.90 | 0.0936 |
| 1.00 | 0.0834 |
| Average precision over all relevant docs | |
| non-interpolated | 0.2295 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.2756 |
| At 10 docs | 0.2178 |
| At 15 docs | 0.1852 |
| At 20 docs | 0.1633 |
| At 30 docs | 0.1296 |
| At 100 docs | 0.0676 |
| At 200 docs | 0.0463 |
| At 500 docs | 0.0252 |
| At 1000 docs | 0.0151 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.2473 |






| Summary Statistics | |
|---|---|
| Run Number | genlp1– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 656 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.4418 |
| 0.10 | 0.3369 |
| 0.20 | 0.2920 |
| 0.30 | 0.2366 |
| 0.40 | 0.1999 |
| 0.50 | 0.1840 |
| 0.60 | 0.1321 |
| 0.70 | 0.1072 |
| 0.80 | 0.0825 |
| 0.90 | 0.0607 |
| 1.00 | 0.0511 |
| Average precision over all relevant docs | |
| non-interpolated | 0.1773 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.2311 |
| At 10 docs | 0.2044 |
| At 15 docs | 0.1630 |
| At 20 docs | 0.1456 |
| At 30 docs | 0.1230 |
| At 100 docs | 0.0664 |
| At 200 docs | 0.0438 |
| At 500 docs | 0.0246 |
| At 1000 docs | 0.0146 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.1776 |






| Summary Statistics | |
|---|---|
| Run Number | genlp2– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 444 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.1415 |
| 0.10 | 0.1133 |
| 0.20 | 0.0818 |
| 0.30 | 0.0695 |
| 0.40 | 0.0474 |
| 0.50 | 0.0397 |
| 0.60 | 0.0251 |
| 0.70 | 0.0145 |
| 0.80 | 0.0106 |
| 0.90 | 0.0083 |
| 1.00 | 0.0062 |
| Average precision over all relevant docs | |
| non-interpolated | 0.0440 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.0533 |
| At 10 docs | 0.0578 |
| At 15 docs | 0.0519 |
| At 20 docs | 0.0467 |
| At 30 docs | 0.0430 |
| At 100 docs | 0.0309 |
| At 200 docs | 0.0239 |
| At 500 docs | 0.0141 |
| At 1000 docs | 0.0099 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.0583 |






| Summary Statistics | |
|---|---|
| Run Number | genlp3– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 456 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.1845 |
| 0.10 | 0.1507 |
| 0.20 | 0.1205 |
| 0.30 | 0.0897 |
| 0.40 | 0.0810 |
| 0.50 | 0.0641 |
| 0.60 | 0.0470 |
| 0.70 | 0.0303 |
| 0.80 | 0.0168 |
| 0.90 | 0.0136 |
| 1.00 | 0.0133 |
| Average precision over all relevant docs | |
| non-interpolated | 0.0654 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.0800 |
| At 10 docs | 0.0844 |
| At 15 docs | 0.0696 |
| At 20 docs | 0.0644 |
| At 30 docs | 0.0570 |
| At 100 docs | 0.0358 |
| At 200 docs | 0.0249 |
| At 500 docs | 0.0143 |
| At 1000 docs | 0.0101 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.0818 |






| Summary Statistics | |
|---|---|
| Run Number | genlp4– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 814 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.7327 |
| 0.10 | 0.6462 |
| 0.20 | 0.4946 |
| 0.30 | 0.3987 |
| 0.40 | 0.3250 |
| 0.50 | 0.2974 |
| 0.60 | 0.2455 |
| 0.70 | 0.2144 |
| 0.80 | 0.1641 |
| 0.90 | 0.1327 |
| 1.00 | 0.1118 |
| Average precision over all relevant docs | |
| non-interpolated | 0.3176 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.3867 |
| At 10 docs | 0.3156 |
| At 15 docs | 0.2741 |
| At 20 docs | 0.2433 |
| At 30 docs | 0.2030 |
| At 100 docs | 0.0998 |
| At 200 docs | 0.0639 |
| At 500 docs | 0.0315 |
| At 1000 docs | 0.0181 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.3091 |






| Summary Statistics | |
|---|---|
| Run Number | sbase1.new– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 623 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.3437 |
| 0.10 | 0.3098 |
| 0.20 | 0.2558 |
| 0.30 | 0.1964 |
| 0.40 | 0.1593 |
| 0.50 | 0.1498 |
| 0.60 | 0.1016 |
| 0.70 | 0.0882 |
| 0.80 | 0.0617 |
| 0.90 | 0.0543 |
| 1.00 | 0.0469 |
| Average precision over all relevant docs | |
| non-interpolated | 0.1478 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.1911 |
| At 10 docs | 0.1578 |
| At 15 docs | 0.1333 |
| At 20 docs | 0.1256 |
| At 30 docs | 0.1030 |
| At 100 docs | 0.0544 |
| At 200 docs | 0.0374 |
| At 500 docs | 0.0220 |
| At 1000 docs | 0.0138 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.1609 |






| Summary Statistics | |
|---|---|
| Run Number | sbase2.new– |
| Number of Topics | 45 |
| **Total number of documents over all topics** | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 689 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.4578 |
| 0.10 | 0.3808 |
| 0.20 | 0.3413 |
| 0.30 | 0.2658 |
| 0.40 | 0.2248 |
| 0.50 | 0.1992 |
| 0.60 | 0.1707 |
| 0.70 | 0.1364 |
| 0.80 | 0.1082 |
| 0.90 | 0.0892 |
| 1.00 | 0.0796 |
| Average precision over all relevant docs | |
| non-interpolated | 0.2078 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.2622 |
| At 10 docs | 0.2044 |
| At 15 docs | 0.1733 |
| At 20 docs | 0.1578 |
| At 30 docs | 0.1341 |
| At 100 docs | 0.0696 |
| At 200 docs | 0.0453 |
| At 500 docs | 0.0253 |
| At 1000 docs | 0.0153 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.2126 |






| Summary Statistics | |
|---|---|
| Run Number | MTRa961– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 650 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.4127 |
| 0.10 | 0.3647 |
| 0.20 | 0.2972 |
| 0.30 | 0.2425 |
| 0.40 | 0.1968 |
| 0.50 | 0.1805 |
| 0.60 | 0.1492 |
| 0.70 | 0.1289 |
| 0.80 | 0.1138 |
| 0.90 | 0.0901 |
| 1.00 | 0.0811 |
| Average precision over all relevant docs | |
| non-interpolated | 0.1896 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.2400 |
| At 10 docs | 0.1844 |
| At 15 docs | 0.1585 |
| At 20 docs | 0.1456 |
| At 30 docs | 0.1222 |
| At 100 docs | 0.0707 |
| At 200 docs | 0.0473 |
| At 500 docs | 0.0244 |
| At 1000 docs | 0.0144 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.1859 |






| Summary Statistics | |
|---|---|
| Run Number | CLATMC– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 766 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.5752 |
| 0.10 | 0.4978 |
| 0.20 | 0.4332 |
| 0.30 | 0.3447 |
| 0.40 | 0.3111 |
| 0.50 | 0.2950 |
| 0.60 | 0.2421 |
| 0.70 | 0.2001 |
| 0.80 | 0.1676 |
| 0.90 | 0.1343 |
| 1.00 | 0.1144 |
| Average precision over all relevant docs | |
| non-interpolated | 0.2842 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.3333 |
| At 10 docs | 0.2778 |
| At 15 docs | 0.2370 |
| At 20 docs | 0.2122 |
| At 30 docs | 0.1793 |
| At 100 docs | 0.0984 |
| At 200 docs | 0.0618 |
| At 500 docs | 0.0304 |
| At 1000 docs | 0.0170 |
| R—Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.2934 |






| Summary Statistics | |
|---|---|
| Run Number | CLATMN– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 786 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.4767 |
| 0.10 | 0.4171 |
| 0.20 | 0.3939 |
| 0.30 | 0.3197 |
| 0.40 | 0.2732 |
| 0.50 | 0.2509 |
| 0.60 | 0.1917 |
| 0.70 | 0.1500 |
| 0.80 | 0.1150 |
| 0.90 | 0.0758 |
| 1.00 | 0.0614 |
| Average precision over all relevant docs | |
| non-interpolated | 0.2346 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.3022 |
| At 10 docs | 0.2533 |
| At 15 docs | 0.2252 |
| At 20 docs | 0.2044 |
| At 30 docs | 0.1778 |
| At 100 docs | 0.0976 |
| At 200 docs | 0.0603 |
| At 500 docs | 0.0308 |
| At 1000 docs | 0.0175 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.2345 |






| Summary Statistics | |
|---|---|
| Run Number | CLPHR0– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 567 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.4235 |
| 0.10 | 0.3686 |
| 0.20 | 0.3236 |
| 0.30 | 0.2528 |
| 0.40 | 0.1940 |
| 0.50 | 0.1766 |
| 0.60 | 0.1444 |
| 0.70 | 0.1144 |
| 0.80 | 0.0748 |
| 0.90 | 0.0534 |
| 1.00 | 0.0413 |
| Average precision over all relevant docs | |
| non-interpolated | 0.1834 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.2578 |
| At 10 docs | 0.2156 |
| At 15 docs | 0.1733 |
| At 20 docs | 0.1567 |
| At 30 docs | 0.1281 |
| At 100 docs | 0.0667 |
| At 200 docs | 0.0431 |
| At 500 docs | 0.0224 |
| At 1000 docs | 0.0126 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.1821 |






| Summary Statistics | |
|---|---|
| Run Number | CLPHR1– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 609 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.4465 |
| 0.10 | 0.4135 |
| 0.20 | 0.3320 |
| 0.30 | 0.2651 |
| 0.40 | 0.2223 |
| 0.50 | 0.2028 |
| 0.60 | 0.1540 |
| 0.70 | 0.1257 |
| 0.80 | 0.1004 |
| 0.90 | 0.0756 |
| 1.00 | 0.0688 |
| Average precision over all relevant docs | |
| non-interpolated | 0.2010 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.2444 |
| At 10 docs | 0.2022 |
| At 15 docs | 0.1837 |
| At 20 docs | 0.1744 |
| At 30 docs | 0.1430 |
| At 100 docs | 0.0713 |
| At 200 docs | 0.0451 |
| At 500 docs | 0.0231 |
| At 1000 docs | 0.0135 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.2127 |






| Summary Statistics | |
|---|---|
| Run Number | CLPHR2– |
| Number of Topics | 45 |
| Total number of documents over all topics | |
| Retrieved: | 45000 |
| Relevant: | 1064 |
| Rel_ret: | 622 |

| Recall Level Precision Averages | |
|---|---|
| Recall | Precision |
| 0.00 | 0.4316 |
| 0.10 | 0.3973 |
| 0.20 | 0.3267 |
| 0.30 | 0.2684 |
| 0.40 | 0.2255 |
| 0.50 | 0.2078 |
| 0.60 | 0.1502 |
| 0.70 | 0.1330 |
| 0.80 | 0.1021 |
| 0.90 | 0.0760 |
| 1.00 | 0.0683 |
| Average precision over all relevant docs | |
| non-interpolated | 0.1997 |

| Document Level Averages | |
|---|---|
| | Precision |
| At 5 docs | 0.2578 |
| At 10 docs | 0.2133 |
| At 15 docs | 0.1763 |
| At 20 docs | 0.1644 |
| At 30 docs | 0.1422 |
| At 100 docs | 0.0722 |
| At 200 docs | 0.0451 |
| At 500 docs | 0.0234 |
| At 1000 docs | 0.0138 |
| R–Precision (precision after R docs retrieved (where R is the number of relevant documents)) | |
| Exact | 0.2044 |